



Waste Management Solutions

www.glasdon.com

Dog Waste Bins

To help keep pavements and open spaces clear of dog fouling, we produce a range of dog waste bins that are extremely strong and durable.

Designs are available for wall or post mounting and free-standing, to match your requirements and encourage owners to pick up after their dogs.

Fido 25[™] Dog Waste Bin

DESIGN FEATURES

- Ultra-destruct 'Dog Waste Only' logo.
- Durapol[™] liner.
- · Wall mounting fixing kit.

OPTIONAL EXTRAS

- · Choice of fixing options.
- · Personalisation.
- · Sack dispenser.

MATERIALS

Bin body: Duraplus™ material Lid: Durapol material Liner: Durapol material

SPECIFICATIONS

Capacity: 25 litres Height: 570mm Width: 380mm Depth: 315mm Weight: 3.7kg

COLOURS

Red, Deep Green.



Retriever 35[™] Dog Waste Bin

DESIGN FEATURES

- Ultra-destruct 'Dog Waste Only' logo.
- Triangular DIN lock key to open, slam to lock.
- · Sack-retention system.
- · Fixings for wall or post mounting.

OPTIONAL EXTRAS

- · Choice of fixing options.
- · Personalisation.
- Chute lock kit.
- · Sack dispenser.

MATERIALS

Bin body: Durapol™ material Chute & backbone: Mild steel with Armortec™ coating

SPECIFICATIONS

Capacity: 35 litres Height: 674mm Width: 450mm Depth: 297mm Weight: 7.1kg

COLOURS

Red, Deep Green.





Retriever City[™]Dog Waste Bin

DESIGN FEATURES

- Integral dispenser allows only one sack to be taken at a time.
- Secure, tamper-resistant chute system.
- Extremely robust body and door.
- Clear graphics encourage correct use.
- Secure, vandal resistant locking mechanism.
- Door-opening design provides easy access for removal and replacement of sacks.
- · Space-saving narrow footprint.

OPTIONAL EXTRAS

- · Choice of fixing options.
- · Personalisation.
- Base plate kit.
- Chute lock kit.
- · Dog lead hook.

MATERIAL

Bin body & door: Durapol™ material

SPECIFICATIONS

Capacity: 35 litres Height: 1142mm Width: 439mm Depth: 348mm Weight: 14.1kg

COLOURS

Black (contains recycled material), Anthracite Grey, Red, Deep Green.



Retriever City[™] Sack Dispenser

DESIGN FEATURES

- Slim, space-saving design, with no sharp edges.
- Robust back plate manufactured from steel with Armortec[™] coating.
- Fixings for wall mounting.

OPTIONAL EXTRAS

- · Choice of fixing options.
- · Personalisation plate.
- · Bio-degradable sacks.

MATERIALS

Door/Cover: Durapol™ material Back Plate: Steel with Armortec™ coating

SPECIFICATIONS

Height (with extended base post): 1085mm

Width: 415mm Depth: 190mm Weight: 6.5kg

COLOURS

Black (contains recycled material), Anthracite Grey, Red, Deep Green.

Metal Fido 35[™] & Metal Fido 50[™] Dog Waste Bins

DESIGN FEATURES

- · Robust metal construction.
- Two sizes available a 35 litre model and a 50 litre model.
- · Dog lead hook.
- 1.5mm steel with Armortec[™] coating.
- · Pivoting lid with lid stay.
- · Sack retention system.

OPTIONAL EXTRAS

- Metal liner for Metal Fido 50.
- · Choice of fixing options.

MATERIALS

Body & lid: Steel with Armortec coating Sack Retention System: Stainless steel.

COLOURS

Red, Deep Green.

SPECIFICATIONS

	Metal Fido 35	Metal Fido 50				
Capacity:	35 litres	50 litres				
Bin height:	504mm	764mm				
Body width:	344mm	344mm				
Body depth:	234mm	234mm				
Lid width:	369mm	369mm				
Lid depth:	287mm	287mm				
Weight:	11.3kg	14.7kg				
Takes 380mm diameter refuse sacks						

Retriever 60[™] Dog Waste Bin

DESIGN FEATURES

- Ultra-destruct 'Dog Waste Only' logo.
- Triangular DIN lock.
- · Sack retention system.
- · Fixings for wall mounting.

OPTIONAL EXTRAS

- · Choice of fixing options.
- · Personalisation.

MATERIALS

Bin body: Durapol™ material Chute: Polyester powder coated mild steel

SPECIFICATIONS

Capacity: 60 litres Height: 710mm Width: 520mm Depth: 440mm Weight: 10.5kg

COLOURS

Red, Deep Green.







Retriever 50™ Dog Waste Bin

DESIGN FEATURES

- Ultra-destruct 'Dog Waste Only' logo.
- Choice of Durapol[™] material chute or steel chute with Armortec[™] coating.
- Internal fire shield (supplied as standard when Armortec coated steel chute is specified with steel liner).
- Triangular DIN lock key to open, slam to lock.
- Mainbrace[™] stainless steel backbone.
- Sack-retention system or zinc-coated steel liner.

OPTIONAL EXTRAS

- · Choice of fixing options.
- · Personalisation.

MATERIALS

Bin body & hood: Durapol material Chute: Durapol material or steel with Armortec coating

coating

Mainbrace backbone: Stainless steel Sack retention system: Stainless steel

Liner: Zinc-coated steel

SPECIFICATIONS

Capacity: 50 litres (without liner)

Height: 725mm Width: 500mm Depth: 400mm Weight: from 7.4kg (Durapol chute c/w sack retention)

COLOURS

Red, Deep Green.

Personalisation, Optional Extras & Fixing Options Guide

Add a unique touch to your Glasdon order with our Personalisation and Branding Service. From adding your organisation's logo or crest, right through to full graphic wraparounds, we have the in-house expertise to help you achieve the impact you require.



Glasdon High Performance Materials

Glasdon products are manufactured from high performance materials and undergo stringent quality checks to ensure durability and best value. We have accreditation with ISO 9001:2015, underlining our commitment to provide quality products.

Throughout this brochure reference is made to the following materials:

Armortec" corrosion resistant coating is specially formulated to extend the life of Glasdon metal products and components used externally.

Duracore" material features a tough outer wall of Durapol" material with an internal reinforcing wall of cellular construction, which increases rigidity and offers outstanding performance benefits. Duracore material will not chip or rust, is easy to clean and never needs painting.

Duraplus™ material is a polymer specially engineered to provide enhanced resilience, which gives improved recovery from impact.

Durapol material is a polymer formulated to withstand extremes of temperature and is impact-tested in our Quality Assurance Laboratory as part of our BS EN ISO 9001:2015 test procedure. Durapol material will not chip or rust, is easy to clean and never needs painting.

Duratec[™] material has been specifically created for use in internal environments. In addition to its attractive appearance it offers a blend of toughness, rigidity and dimensional stability.

Ecoboard" material is manufactured using a combination of virgin polymer and post consumer plastic waste to create a very robust and strong panel. Ecoboard" material will not chip or rust, is easy to clean and never needs painting.

Enviropol material is manufactured predominantly from post-consumer plastics. By balancing these uncontaminated recycled waste materials, the result is a remarkably versatile product with many applications and benefits. Enviropol material will not chip or rust, is easy to clean and never needs painting.

Everwood material is a realistic timber grain polymer, which requires minimal maintenance. Everwood material is vandal and weather resistant, will not rot, warp or crack.

Vandalex" material is an aluminium alloy engineered to produce a high modulus of elasticity, which offers increased impact absorption properties. Its anodised finish will not rust, is easy to clean and never needs painting.

All Glasdon products manufactured from Durapol[™] material, Duraplus[™] material, Duracore[™] material, Enviropol[™] material, Vandalex[™] material and Stainless steel can be recycled at the end of their service life.

Personalisation & Branding

Step 1. Choose from a wide range of products and personalisation options including:

Litter Bins & Recycling Bins - Branding, corporate colour schemes, bespoke waste streams, campaign messaging and changeable poster kits. Our experienced sales team will advise you on the personalisation options of your chosen product.

We can also send you examples of some of our tried and tested visuals for a little inspiration.

Step 2. Selecting Standard Options

Many of our products offer standard graphics and poster kits to choose from at the point of ordering. Simply select from the drop down menu the option you require on our website or contact our sales office for more information.

Step 3. Looking for Something Different?

If you would like to adapt a standard option by changing graphic colours and waste streams or to include an element of branding, or perhaps you would like to create something completely unique, we can help. Our Sales team will be happy to learn more about your project and requirements. We will work with you to achieve the finish you require.





Step 4. Free Visualisation Service

Our sales team will then liaise with our in-house graphics team to prepare a visual of the product with your chosen personalisation, of which you're able to review and make changes to if required.

This is a free service offered to all Glasdon customers.

Step 5. Artwork Approval

We are committed to making sure the end result is exactly right for you. So when you are completely happy with the visual and have agreed any of the additional production costs, we will finalise and deliver your personalised order.

Hood Mounted Circular Ashtrays

(A)*



(B) Universal Ashtray*



Gold or Gun Metal Grey Colour

(C) 3L Ashtray*



Gun Metal Grey Colour



(D) Hood Mounted

Gold or Gun Metal Grey Colour

(E) Hood Mounted Ashtray*



(F) Hood Mounted Diamond Ashtray (Nexus 200 only)



Gold or Gun Metal Grey Colour

(G) Hood Mounted Rectangular Ashtray (Streamline Jubilee only)



Gold or Gun Metal Grey Colour

(H) Ashtrav Tops







(I) Ash Grille (Integro City only)



(J) Hood Mounted Electra Ashtray (Electra only)



Stubber Plates All litter bins listed in the table on page 61 are available with a stubber plate as an optional extra.










More stubber plate options are available, please contact our Sales Office for further information.

Side Ash Grille



Universal Stubber Plate



Gold or Gun Metal Grev Colour

*Important Safety Notice

Hood-Mounted Ashtrays: To ensure safe operation at all times, routine care must be taken to remove any debris which could impede the return of the ashtray base to its fully closed position. Firexpire™ is not available on litter bins with fitted hood-mounted ashtrays.

Stubber Plates & Ashtray Options						
Litter Bin	Page	Hood-Mounted Ashtray	Side Ash Grille			
Brunel	15	D				
Centrum	26	A				
Community	17	B, C, H				
Courbe	28					
Electra	22	J				
Electra Curve	23					
Enviropol 100	16					
Evolution	16					
Futuro	18	B, C	/			
Gemini	18	E	/			
Glasdon Jubilee 110	5	B, C				
Glasdon Jubilee 240	4	В				
Integro	43		1			
Integro City	43	I				
Invicta	27	D				
Luna	19					
Metal Chieftain	24	A				
Metal Guppy	30					
Mini Neopolitan	11	B, H				
Neopolitan	11	B, C, H				
Nexus 200	8	F				
Nexus 360	9					
Ruban	29					
Sherwood	13					
Streamline Jubilee	6	G				
Super Guppy	17	B, C, H				
Super Trimline 50	32					
Topsy 2000	10	B, C, H				
Topsy Jubilee	12	B, C, H				
Topsy Royale	7	B, C, H				

Litter Bin Capacities

The majority of litter bins featured in this catalogue specify two capacities. The 'Bin Volume' is the total capacity the bin liner will hold with the contents measured heaped. The 'Liner Capacity' is the capacity the bin liner will hold with the contents measured flat.











STAGE 1

A burning match is carelessly discarded into a litter bin.

STAGE 2
The fire takes hold.

STAGE 3
In under a minute,
the fire extinguishing plate
drops onto the liner.

STAGE 4
The fire is contained.

An optional extra on Glasdon hooded litter bins, Firexpire™ device is a fire extinguishing plate fitted within the bin top. Should a fire break out inside the bin, a special replaceable, heat responsive device releases the plate which then seals off the mouth of the liner and snuffs out the fire through oxygen starvation. Replacement of the heat responsive device using only a screwdriver resets Firexpire device on site.

(Firexpire is an effective low cost auxiliary device and must never replace primary fire prevention measures. Obstructions preventing the plate from dropping may adversely affect the function of the unit and as many Firexpire devices are used in unsupervised locations, regular inspection and immediate replacement of any damaged or distorted components is essential.)

Glasdon FireSafe™ Device

Is an automatic fire suppression device fitted within the hood of the bin. Should a fire break out inside the bin the device is activated. Glasdon FireSafe is an effective low cost auxiliary device and must never replace primary fire prevention measures. A regular inspection/maintenance

programme should be introduced to ensure the device is in working condition or has discharged and therefore needs replacing.





SITING OF NEXUS 360, MODUS & VISAGE

*For the Nexus 360, Modus and Visage, we recommend that a risk assessment is undertaken to identify an appropriate location for your waste collection units. In order to reduce risk, some organisations decide to place the units a minimum of 5 metres away from buildings. Any potential risk can be further reduced by maintaining a regime of regularly emptying the unit.


You may also wish to consider installing a Glasdon FireSafe on the Nexus 360 and Modus.

	Page Number	Paving Fixing Kit	Concrete Foundation Fixing Bolts	Concrete-in Anchor (Adjustable Depth)	Flush Ground Fixing	Ground-Lock™	External Ballast	Internal Ballast	Free Standing Base
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(I)
		Please refer to the corresponding illustrations on the next page for more details on these fixing options.							
Admiral	19	~	~	~	~	~	~	~	x
Ashguard	42	✓ Incl.	✓ Incl.	~	х	х	х	x	х
Ashguard SG	41	✓ Incl.	✓ Incl.	V	х	х	V	x	~
Brunel	15	✓ Incl.	✓ Incl.	V	~	✓ *	V	V	х
Centrum	26	~	✓ Incl.	~	х	х	x	x	х
Combo	37	~	V	V	х	х	х	~	х
Combo Delta	20	✓ Incl.	✓ Incl.	х	х	х	х	~	х
Community	17	~	V	V	~	~	V	~	х
Courbe	28	✓ Incl.	✓ Incl.	V	х	х	х	x	~
C-Thru	20	~	V	х	~	~	~	~	х
Electra	22	~	~	~	х	х	х	х	~
Electra Curve	23	~	V	V	х	х	х	х	~
Enviropol 100	16	✓ Incl.	✓ Incl.	~	~	V*	х	~	х
Everglade	25	~	V	V	V	~	x	х	х
Evolution	16	~	~	~	~	~	~	х	х
Froggo	39	~	V	V	~	~	х	х	х
Futuro	18	~	~	~	~	V*	~	~	х
Gemini	18	✓ Incl.	✓ Incl.	V	х	х	~	х	х
Glasdon Jubilee 110	5	~	V	~	~	✓ *	x	~	х
Glasdon Jubilee 240	4	~	Х	V	х	х	x	~	х
Integro	43	V	~	V	х	х	х	~	х
Integro City	43	V	V	V	х	V	х	х	х
Invicta	27	~	✓ Incl.	V	х	x	х	x	х
Luna	19	V	V	V	х	х	х	x	х
Metal Chieftain	24	~	V	~	х	~	х	x	х
Metal Guppy	30	V	V	V	V	V	V	V	х
Mini Neopolitan	11	~	V	~	~	x	~	~	х
Modus	53	x	✓ Incl.	V	х	x	х	x	х
Neopolitan	11	~	~	~	~	~	~	~	х
Nexus City 140	14	х	V	V	х	х	x	~	х
Nexus City 240	14	х	~	~	х	х	x	~	х
Nexus 200	8	✓ Incl.	✓ Incl.	V	х	х	x	~	х
Nexus 360	9	✓ Incl.	✓ Incl.	~	х	х	x	х	х
Ruban	29	✓ Incl.	✓ Incl.	V	х	х	х	х	~
Sherwood	13	V	V	~	~	~	~	х	х
Splash	39	V	V	V	V	V	x	V	X
Streamline Jubilee	6	~	V	V	х	x	x	~	х
Super Guppy	17	V	V	V	~	~	V	~	X
TidyBear	39	~	V	V	X	X	x	x	x
Topsy 2000	10	V	V	V	~	~	~	~	X
Topsy Jubilee	12	<i>V</i>		~	~	~	V	~	X
Topsy Royale	7	V	V	~	V	~	~	~	X
Visage	53	X	✓ Incl.	~	X	x	x	x	X
Ground Surface		Concrete Paving Flagstone	Existing Concrete Foundation, or Concrete Pad Set in Soft Ground	New Concrete		Soft Earth		Even Ground	Internal marble or wooden floors

✓ Optional Extra ✓ Incl. Fixings are Free of Charge X Not Available for this Litter Bin ✓* Requires Reinforcing Plinth
The following bins can be Concreted-in (H):Admiral, Brunel, Community, Enviropol 100, Futuro, Integro, Super Guppy, Topsy Royale and Topsy 2000.


	Page	Post Mounting Brackets	Ground-Lock System	Extended Base Post	Lamp Column Adaptor Bracket	Wall Mounting Fixing Kit
Fido 25	47	✓	✓	·	✓	✓
Hooded Trimline 25	34	V	Х	V	Х	V
Metal Fido 35 & 50	47	V	V	V	х	V
Retriever 35	45	V	V	V	V	V
Retriever 50	48	V	V	V	V	✓
Retriever 60	47	Х	V	V	х	V
Retriever City	46	V	V	х	х	✓
Retriever City Sack Dispenser	46	V	V	V	х	✓
Super Trimline 50	32	V	V	V	V	✓
Trimline 25	33	V	V	V	V	V


Litter Bin Fixing Options





(F) External Ballast

The weighted plinth is ideal for customers who wish to site a bin securely without the need for groundworks or for use where ground fixings would not be suitable.










later resited. Flush ground fixing means that there is no trip hazard from protruding objects above ground level.

(H) Concreting-In Bin set into concrete foundation Concrete Ground

(E) Ground-Lock™ System

Glasdon Ground-Lock system is a versatile fixing system for securing hooded, open-topped and post-mounted litter bins in 'soft' or unsurfaced ground. Quick and easy to install, without excavating or concreting, the system has a unique 'remove and resite' locking feature, so bins can be relocated. Ground-Lock system is also

vandal-resistant, the secure siting keeps waste in its place. (Ground-Lock system fixing tool required. One tool supplied free with every 3 Ground-Lock systems ordered.) Please see on Page 62 which bins require a reinforcing plinth with the Ground-Lock option.





installed with Ground-Lock system. system.


Internal view of litter bin showing bolt fixing to Ground-Lock


(I) Free Standing Base


For use where ground fixings would not be suitable. The Free Standing Base is ideal for use in internal applications such as marble floors and wooden floors.



























www.glasdon.com









(Gasdon', Admiral, Armortec, Ashguard, Ashguard SG, Ashmount, Ashmount SG, Billy Bin-it, Bin-it, Brunel, Cedar, Centrum, Combo, Combo Delta, Community, Courbe, C-Thru, Duracore, Duraplus, Durapol, Duratec, Ecoboard, Eden, Elder, Electra, Enviropol, Everglade, Everwood, Evolution, Envoy, Fido 25, Firexpire, Froggo, Futuro, Gemini, Glasdon FireSafe, Glasdon Jubilee, Ground-lock, Hippo, Hooded Trimline 25, Integro, Integro City, Invicta, Junior Ambassador, Junior Diplomat, Kent, Litta-Pikka, Luna, Mainbrace, Metal Chieftain, Metal Fido 35, Metal Fido 50, Metal Guppy, Mini Neopolitan, Modus, Neopolitan, Nexus, Orbis, Poplar, President, Retriever 35, Retriever 50, Retriever 60, Retriever City, Rowan, Ruban, Screen Clean Station, Senior Ambassador, Senior Diplomat, Sherwood, Skipper, SmokeGuard, Space-Liner, Splash, Statesman, Streamline Jubilee, Super Guppy, Super Trimline 50, TidyBear, Trimline 25, Topsy 2000, Topsy Jubilee, Topsy Royale, Tweed, Vandalex and Visage are trademarks or registered trademarks of GLASDON GROUP or its subsidiaries in the UK and other countries.



Innovation and Export Centre Preston New Road **BLACKPOOL** Lancashire

FY4 4UY **United Kingdom**

+44 1253 600435 E-mail: sales@glasdon.com Web: www.glasdon.com







