



Modus™ Housing

DESIGN FEATURES

- Units can screen 600 litre, 660 litre, 1100 litre or 1280 litre wheeled bins.
- Recycling apertures and clear graphics.
- Vandalex® material frame provides exceptional strength and is vandal and weather resistant.
- An adjustable door wheel enables easy opening of the door and levels the door on uneven surfaces.
- The door features a tri-Lock, handle and stainless steel hinge.
- Chute behind the aperture ensures litter always enters the wheeled bin.
- Base skirting.

OPTIONAL EXTRAS

- Food waste aperture and chute.
- Blanking aperture, for secure storage of equipment.
- Wing lock.
- Aperture brushes (round aperture only).
- Glasdon FireSafe™ automatic suppression device.
- Personalisation.

MATERIALS

Hood: Durapol® material
 Frame: Vandalex material
 Panelling: Ecoboard™ material (contains recycled post consumer plastic)

SPECIFICATIONS

	Modus 770	Modus 1280
Height:	1660mm	1660mm
Width:	1614mm	1614mm
Depth:	923mm	1257mm
Capacity:	770 litres	1280 litres
Weight:	102kg	119kg

OPTIONAL EXTRAS



Personalisation

Modus can be personalised with your own artwork or logo to promote your recycling message, or disguised to complement your environment.

STANDARD APERTURE PANELS OPTIONS/COLOURS*

General waste aperture



Black

Cans or Bottles aperture



Black



Grey



Lime Green



Orange

Mixed Recycling aperture



Black



Orange

Paper aperture



Blue

Food Waste chute aperture



Green

Blanking aperture



Grey

STANDARD POLYCARBONATE GRAPHICS KITS*



*Other options are available upon request.

External Recycling Bins Fixing Options








	Page Number	Paving Fixing Kit	Concrete Foundation Fixing Bolts	Concrete-in Anchor (Adjustable Depth)	Flush Ground Fixing	Ground Lock	External Ballast	Internal Ballast
		(A)	(B)	(C)	(D)	(E)	(F)	(G)
Please refer to the corresponding illustrations on the next page for more details on these fixing options.								
Electra Curve	56	✓	✓	✓	x	x	x	x
Gemini	62	✓ Incl.	✓ Incl.	✓	x	x	x	x
Glasdon Jubilee 110	58	✓	✓	✓	✓	✓*	x	✓
Glasdon Jubilee 240	58	✓	x	✓	x	x	x	✓
Modus	76	x	✓ Incl.	✓	x	x	x	x
Nexus City 140	64	x	✓	✓	x	x	x	✓
Nexus City 240	64	x	✓	✓	x	x	✓	✓
Nexus Evolution City	58	✓	✓	✓	x	x	x	x
Nexus 200	60	✓ Incl.	✓ Incl.	✓	x	x	x	✓
Nexus 360	68	✓ Incl.	✓ Incl.	✓	x	x	x	x
Streamline Jubilee	58	✓	✓	✓	x	x	x	✓
Visage	74	x	✓ Incl.	✓	x	x	x	x
Ground Surface		Concrete Paving Flagstone	Existing Concrete Foundation, or Concrete Pad Set in Soft Ground	New Concrete Foundation		Soft Earth	Suitable for Even Ground	

✓ Optional Extra

✓ Incl. Fixings are Free of Charge

X Not Available for this Recycling Bin

✓* Requires Reinforcing Plinth



Glasdon Ground-Lock system is a versatile fixing system for securing hooded, open-topped and post-mounted litter bins in 'soft' or unsurfaced ground. Quick and easy to install, without excavating or concreting, the system has a unique 'remove and resite' locking feature, so bins can be relocated. Ground-Lock system is also vandal-resistant, the secure siting keeps waste in its place. (Ground-Lock system fixing tool required. One tool supplied free with every 3 Ground-Lock systems ordered.) Please see above which bins require a reinforcing plinth with the Ground-Lock option.